

CERTIFICATE OF CONSTANCY OF PERFORMANCE

0493 - CPR - 0084

In compliance with Regulation 305/2011/EU of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product

Tufted broadloom carpet, 100% polypropylene, fire retardant finish (marine)

Total mass: 1250g/m² - 1800g/m²

Effective pile thickness: 5mm - 6mm

Loose laid on a non-combustible substrate* according to EN 13501-1



*End use substrates of classes A1 or A2-s1,d0 (ISO 13238:2010 § 5.2.2)

produced by or for

OROTEX BELGIUM NV

Ingelmunstersteenweg 162 8780 Oostrozebeke België

and produced in the manufacturing plant(s)

OROTEX BELGIUM NV

This certificate attests that all provisions concerning the assessment and verification of constancy of performance and the performances described in Annex ZA of the standard

EN 14041:2004/AC:2006

under system 1 are applied and that

the product(s) fulfil(s) all the prescribed requirements set out above.

This certificate was first issued on May 14th, 2009 and will remain valid as long as the test methods and/or factory production control requirements included in the harmonised standard, used to assess the performance of the declared characteristics, do not change, and the product, and the manufacturing conditions in the plant are not modified significantly and latest on July 31th, 2015.

This certificate consists of 1 certificate and 1 annex

Zwijnaarde, July 18th, 2014







Annex

of

CERTIFICATE OF CONSTANCY OF PERFORMANCE

0493 - CPR - 0084

Tufted broadloom carpet, 100% polypropylene, fire retardant finish (marine)

Related commercial names to this product group are:

- DIAMOND
- SPRING
- SUMMER
- VERANO
- WINTER

The obtained classification is based on the next test reports:

Centexbel: 13.03116.01 dd 2013/08/01
Centexbel: 13.03117.01 dd 2013/08/02

Centexbel: 14.02586.01 dd 2014/06/16

This certificate consists of 1 certificate and 1 annex



